

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (Brushless Antiseptic).
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: 03/04/08 **Revision #:** 4



PRODUCT AND COMPANY INFORMATION – SECTION 1

Company Identification

Name: *BD Medical*
Address: *9450 South State Street*
Sandy, UT 84070

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT:

In the continental U.S., call: 801.565.2300(24 hour)
For additional information, call: 888.237.2762
(M-F, 8:00 AM-4:30 PM EST)

COMPOSITION INFORMATION – SECTION 2

<u>Chemical Name</u>	<u>Percent</u>	<u>CAS Number</u>	<u>Exposure Limits</u>
Ethanol, denatured	70	64-17-5	OSHA PEL: 1000PPM ACGIH TLV: 1000PPM
Non-hazardous propriety mixture	30	N/A	N/A

OSHA REGULATORY STATUS

	This material is classified as not hazardous under OSHA regulations.
	While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.
X	This material is classified as hazardous under OSHA regulations.

HAZARDS IDENTIFICATION – SECTION 3

EMERGENCY OVERVIEW

- Caution! Flammable liquid.
- Overexposure may cause skin and eye irritation.
- Keep out of eyes and mouth
- Avoid breathing vapors
- For external use.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (Brushless Antiseptic).
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: 03/04/08 **Revision #:** 4



HAZARDS IDENTIFICATION – SECTION 3 (Continued)

PRIMARY ROUTES OF EXPOSURE:

Ingestion, Inhalation

POTENTIAL HEALTH EFFECTS:

Eyes:

May cause irritation, permanent eye damage, and/or blindness.

Skin:

May cause irritation, dryness, and defatting.

Inhalation:

May cause headache and/or drowsiness, as well as irritation of the throat.
May cause nausea, vomiting, and/or CNS depression.

Ingestion:

May cause nausea, vomiting, and/or CNS depression.

CHRONIC HEALTH EFFECTS:

Eyes:

May cause permanent eye damage and/or blindness

Skin:

May cause irritation, dryness, and defatting.

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion:

Long term repeated oral exposure may result in progressive liver injury with fibrosis.

FIRST AID MEASURES – SECTION 4

SEEK IMMEDIATE MEDICAL ATTENTION FOR ALL CASES OF OVEREXPOSURE.

FIRST AID MEASURES:

Eyes:

Hold eyelids open and flush eyes with a copious amounts of water for 15 minutes.

Skin:

Wash thoroughly with plenty of soap and water

Inhalation:

Remove victim to fresh air. Give artificial respiration if needed

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (Brushless Antiseptic).
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: 03/04/08 **Revision #:** 4



Ingestion:

Do not induce vomiting unless instructed to do so by medical personnel. Give victim two glasses of water. Do not give anything by mouth to and unconscious person. Get medical attention.

FIRE FIGHTING MEASURES – SECTION 5

<u>NFPA Classification</u>			
Health	Fire	Reactivity	Other
1	3	0	N/A

Flammability Properties

Flash Point 22°C ± 2°C **Method:** Penske-Martin Closed Cup

Flammability Limits: (in air % by volume) **LEL:** 3.3 (Ethanol) **UEL:** 19.0 (Ethanol)

Autoignition Temperature:

U/K

Hazardous Combustion Products:

Carbon Monoxide and /or Carbon Dioxide may be formed

Extinguishing Media:

Dry Chemical and carbon dioxide. Cool fire-exposed containers with water spray.

Firefighting Instructions:

As in any fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Unusual Fire and Explosion Hazards:

Ethanol burns with an invisible flame in the daylight. Vapors are heavier than air and can travel a considerable distance to a source of ignition and flash back. Containers may rupture due to vapor pressure buildup.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (Brushless Antiseptic).
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: 03/04/08 **Revision #:** 4



ACCIDENTAL RELEASE MEASURES - SECTION 6

Large Spill:

Wear protective equipment. Eliminate all sources of ignition. Ventilate area. Recover material if possible. Absorb spill with non-flammable absorbent, such as sand or vermiculite. Ground all handling equipment and use non-sparking tools for clean up. Prevent liquid from entering sewers or waterways.

HANDLING & STORAGE – SECTION 7

Handling:

Keep away from eyes, skin, and clothing. Wash thoroughly after each use. Avoid ingestion. Avoid breathing vapors.

Storage:

Keep away from heat, sparks, and flames. Store in a cool, dry, well-ventilated area away from incompatible materials. Temperature not to exceed 104°F.

EXPOSURE CONTROLS / PERSONAL PROTECTION – SECTION 8

Engineering Controls:

General and/or local exhaust to maintain exposure below the TLV.

Personal Protective Equipment:

Eye/Face Protection:

Safety goggles/glasses recommended.

Skin Protection:

Chemical-resistant gloves and clothing are recommended for spill cleanup.

Respiratory Protection:

Not required for normal usage. Wear NIOSH approved respirator with organic filter if TLV is exceeded.

General Hygiene Considerations:

Wash thoroughly after handling

Other Protective Equipment:

Eye Wash, Safety Shower, and Washing Facilities

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (Brushless Antiseptic).
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: 03/04/08 **Revision #:** 4



Exposure Guidelines:

OSHA PEL: **ACGIH TLV:**
Ethanol: 1000 ppm 1000 ppm

PHYSICAL & CHEMICAL PROPERTIES – SECTION 9

CONSTITUENT: Ethanol

Appearance..... Clear gray to milky white liquid
Odor..... Alcohol odor
Boiling Point..... 175° F (79° C)
Flash Point..... 22° C ± 2° C
Melting Point..... N/A
Water Solubility..... Soluble
Evaporation Rate..... 303 (BUTYLACETATE=1)
Vapor Pressure (mm Hg)..... 40
Vapor Density (Air=1)..... 1.59
Specific Gravity (H₂O = 1)..... 0.79
% Volatile (By Volumen @ 68° F)..... 100

STABILITY & REACTIVITY – SECTION 10

Stability:

Stable at normal temperatures and pressures.

Conditions to Avoid:

High temperatures, sparks, and open flames.

Materials to Avoid:

Strong oxidizers, strong acids

Hazardous Decomposition Products:

Carbon monoxide and /or carbon dioxide may be formed.

Hazardous Polymerization:

Will not occur.

TOXICOLOGICAL INFORMATION – SECTION 11

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (Brushless Antiseptic).
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: 03/04/08 **Revision #:** 4



Type of Test	Route of Exposure	Species Observed	Dose Data
LC50 (Ethanol)	Inhalation	Rat	20000 ppm/10H
LD50 (Ethanol)	Oral	Rat	7060 mg/kg

ECOLOGICAL INFORMATION – SECTION 12

No significant ecological information is available for this substance.

DISPOSAL CONSIDERATION – SECTION 13

Dispose of liquid or contaminated absorbent in DOT – approved waste containers, and in accordance with all Federal, state and local regulations.

TRANSPORT INFORMATION - SECTION 14

Catalog numbers 372403 and 372408

DOT Shipping Information according to 49 CFR for domestic ground and domestic air shipments.

Basic Description	<i>Domestic Ground and Domestic Air:</i> Ethyl alcohol solution, 3, UN1170, II, Ltd. Qty.
Labeling Requirements	<i>Domestic Ground:</i> Labels are not required for ground shipments. <i>Domestic Air:</i> Flammable Liquid, Class 3 label.
Marking Requirements	<i>Domestic Ground:</i> - Ethyl alcohol solution, Ltd. Qty - Orientation arrows and ID numbers are not required. <i>Domestic Air:</i> - Ethyl alcohol solution, Ltd. Qty. - ID numbers are not required. - Orientation arrows are required to be marked on two opposite vertical sides of the package with the arrows pointing in the correct upright direction.
Placarding Requirements	<i>Domestic Ground and Domestic Air:</i> These products are not subject to placarding requirements.
Packaging Requirements	<i>Domestic Ground and Domestic Air:</i> These products are not subject to specification packaging requirements. The gross weight of each package may not exceed 30 kg (66 pounds).

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (*Brushless Antiseptic*),
 372408, and 372409 (*Rinseless, brushless Antiseptic*).
Date: 03/04/08 **Revision #:** 4



Additional Requirements	<i>Domestic Ground and Domestic Air:</i> Emergency response information such as an emergency response guide or MSDS must be included.
-------------------------	---

Refer to 49 CFR for complete marking, labeling, and packaging information.

<i>IATA Shipping Information according to Dangerous Goods Regulations for air shipments.</i>	
Basic Description	Ethyl alcohol solution, 3, UN1170, II
Labeling Requirements	- Class 3, Flammable Liquid label - Cargo Aircraft Only label
Marking Requirements	- Ethyl alcohol solution, UN1170 - Orientation arrows are required on two opposite sides.
Packaging Requirements	Specification packaging is required (Packing Instruction 307).
Refer to the IATA Dangerous Goods Code for complete marking, labeling, and packaging information.	

<i>IMDG Shipping Information according to the IMDG Code for water shipments</i>	
Basic Description	There are two suitable descriptions: 1. Ethyl alcohol solution, 3, UN1170, II, Ltd. Qty. <i>OR</i> 2. Dangerous Goods in Limited Quantities of Class 3, UN1170, II.
Labeling Requirements	Labels are not required
Marking Requirements	Packages must be marked in either of two ways: 1. Ethyl alcohol solution, UN1170 <i>OR</i> 2. Dangerous Goods in Limited Quantities of Class 3, UN1170, II. Cargo transport units should be marked "LIMITED QUANTITIES".
Packaging Requirements	The gross weight of each package may not exceed 30 kg (66 pounds).
Refer to the IMDG Code for complete marking, labeling, and packaging information.	

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (Brushless Antiseptic).
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: 03/04/08 **Revision #:** 4



Catalog Number 372409

DOT Shipping Information according to 49 CFR for domestic ground and domestic air shipments.	
Basic Description	<i>Domestic Ground and Domestic Air:</i> Ethyl alcohol solution, 3, UN1170, II, Ltd. Qty.
Labeling Requirements	<i>Domestic Ground:</i> Labels are not required for ground shipments. <i>Domestic Air:</i> Flammable Liquid, Class 3 label.
Marking Requirements	<i>Domestic Ground:</i> - Ethyl alcohol solution, Ltd. Qty - Orientation arrows and ID numbers are not required. <i>Domestic Air:</i> - Ethyl alcohol solution, Ltd. Qty. - ID numbers are not required. - Orientation arrows are required to be marked on two opposite vertical sides of the package with the arrows pointing in the correct upright direction.
Placarding Requirements	<i>Domestic Ground and Domestic Air:</i> These products are not subject to placarding requirements.
Packaging Requirements	<i>Domestic Ground and Domestic Air:</i> These products are not subject to specification packaging requirements. The gross weight of each package may not exceed 30 kg (66 pounds).
Additional Requirements	<i>Domestic Ground and Domestic Air:</i> Emergency response information such as an emergency response guide or MSDS must be included.

Refer to 49 CFR for complete marking, labeling, and packaging information.

IATA Shipping Information according to Dangerous Goods Regulations for air shipments.	
Basic Description	Ethyl alcohol solution, 3, UN1170, II
Labeling Requirements	- Class 3, Flammable Liquid label - Cargo Aircraft Only label
Marking Requirements	- Ethyl alcohol solution, UN1170 - Orientation arrows are required on two opposite sides.
Packaging Requirements	Specification packaging is required (Packing Instruction 305).

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. *372403 (Brushless Antiseptic).*
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: *03/04/08* **Revision #:** *4*



Refer to the IATA Dangerous Goods Code for complete marking, labeling, and packaging information.

IMDG Shipping Information according to the IMDG Code for water shipments

Basic Description	There are two suitable descriptions: 1. Ethyl alcohol solution, 3, UN1170, II, Ltd. Qty. <i>OR</i> 2. Dangerous Goods in Limited Quantities of Class 3, UN1170, II.
Labeling Requirements	Labels are not required
Marking Requirements	Packages must be marked in either of two ways: 1. Ethyl alcohol solution, UN1170 <i>OR</i> 2. Dangerous Goods in Limited Quantities of Class 3, UN1170, II. Cargo transport units should be marked "LIMITED QUANTITIES".
Packaging Requirements	The gross weight of each package may not exceed 30 kg (66 pounds).
Refer to the IMDG Code for complete marking, labeling, and packaging information.	

REGULATORY INFORMATION – SECTION 15

US REGULATIONS (Ethanol)

CAA Section 112.....	Not Listed
CERCLA.....	Not Listed
IARC.....	Substance Not Assigned an Overall Evaluation
NTP.....	Testing Program Substance
OSHA.....	Air Contaminants (Table Z-1)
SARA TITLE III.....	Not Listed
TSCA.....	Listed

STATE REGULATIONS (Ethanol)

MA Substance List.....	Teratogen with sufficient evidence of risk in humans
NJ RTK Hazardous Substance List.....	Listed
PA Hazardous Substance List.....	Listed

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (Brushless Antiseptic).
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: 03/04/08 **Revision #:** 4



Canadian WHMIS..... Ingredient must be disclosed at concentration of 0.1%
Minnesota Hazardous Substances Listed. Listed

OTHER INFORMATION - SECTION 16

To the best of our knowledge, the information contained herein is accurate. However, neither Becton Dickinson nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The possibility exists that the EU will not recognize this MSDS due to the fact that several components of the MSDS are reflective of ANSI Z-400.1-1998. Although ILO (International Labor Organization) has adopted ANSI Z-400.1-1998, ultimate disposition lies with the competent authority.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: *BD E-Z Care™ 70% Ethyl Alcohol*
Catalog No. 372403 (Brushless Antiseptic).
372408, and 372409 (Rinseless, brushless Antiseptic).
Date: 03/04/08 **Revision #:** 4



VERSION HISTORY

Version	Description	ECO Number	Version Prepared By
4	Routine review by Regulatory. Update to current format including the addition of the Revision number in the header along with new version history table. Update Company information in section 1. Correct the telephone numbers and remove product name information from section 1 as this information is in the Header Title area. In section 3 "Emergency Overview" replace the last bullet "For external use only" In section 9 for Appearance replace "Clear liquid" with "Clear gray to milky white liquid".	ECO79793	Rachel LeBlanc Janet Boggess
3	Revise the MSDS for 372403, 372408 and 372409 EZ Care deleting 372410 which is not produce and change flash point to 22 degree C plus or minus 2 degree C. Change format to MS WORD from a vendors PDF format. Other minor errors corrected in the document.	ECO43416	George Nolan