

MATERIAL SAFETY DATA SHEET (MSDS)**RESTOR SKIN****SECTION I****EMERGENCY TELEPHONE #**

TRADE NAME
(If none, put chemical) RESTOR SKIN 412-331-1667

CHEMICAL NAME
AND SYNONYMS NA

MFG'S NAME
AND TELEPHONE # RESTOR-SKIN INC. 412-331-1667

ADDRESS 532 ISLAND AVE. McKEES ROCKS, PA 15136

SECTION II - HAZARDOUS INGREDIENTS

	%	TLV	STEL	PEL	UNITS
Isobutyl Alcohol - (CAS #78-83-1):	<5	50		100	
Toluene - (CAS #108-88-3):	<5	100		200	
Acetone - (CAS #67-64-1):	<5	750		1000	
Butyl Acetate - (CAS #123-86-4):	<5	150		200	
Ethyl Acetate PC - (CAS #141-78-6):	<5	50		400	
Isopropyl Alcohol - (CAS #67-63-0):	<5	400		400	
Lead Chromate - (CAS #7758-97-6):	0.366	NE		1	
Methylene Chloride - (CAS #75-09-2):	50	50		500	
A Isobutane - (CAS #75-28-5):	15	1000		1000	
A Propane - (CAS #74-98-6):	15	1000		1000	

Aerosol - Contents under pressure

SECTION III - PHYSICAL DATA

Boiling Point (*F):	132-164*F	Specific Gravity (H2O=1):	NA
Vapor Pressure (MM Hg):	NA	Evaporation Rate (EITHER=1)	Faster than ether
Vapor Density (AIR=1)	heavier than air		
Solubility in Water	non-soluble		
Appearance and Odor	opaque liquid or spray		

NA - NOT APPLICABLE NE - NOT ESTABLISHED UN - UNAVAILABLE
F HAZARD RATING (NFPA): H - HEALTH F - FIRE R - REACTIVITY

4= EXTREME

3= SERIOUS

2= MODERATE

1= SLIGHT

0= MINIMUM

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

LEL UEL

Flash Point (method used): propellant below 20°F Flammable Limits:

Extinguishing Media: Carbon dioxide, dry chemical, or foam.

Special Fire Fighting Procedures: water may be ineffective - water may be used the keep fire exposed containers cool

Unusual Fire and Explosion Hazards: Do not spray near open flame. Keep at room temp. as exposure to direct sunlight or other heat may cause bursting.

SECTION V - HEALTH HAZARD INFORMATION

Symptoms/Effects of overexposure for formaldehyde containing fluids:

Inhalation: Irritation of the respiratory tract or acute nervous system depression characterized by headache, dizziness, staggering. Lead poisoning is characterized by metallic taste in mouth, loss of appetite, indigestion, nausea, vomiting, constipation, abdominal cramps, disturbance of rest, sleep, and weakness.

In a confined area vapors in high concentration are anesthetic. Irritant to skin and upper respiratory system. Over-exposure may result in light-headedness, staggering gait, giddiness, and possible nausea. Harmful or fatal if swallowed.

First Aid:

EYES: Immediately flush eyes with large amounts of water for at least 15 minutes while holding the eyelids open. Get prompt medical attention.

SKIN: Wash with soap and water

INHALATION: Move victim to fresh air and restore breathing if necessary. Stay with victim until arrival of EMP.

INGESTION: Contact local poison control center or physician IMMEDIATELY!

SECTION VII - SPILL OR LEAK PROCEDURES

Remove all sources of ignition, ventilate, avoid breathing vapors and remove with inert absorbent.

Procedures: Avoid breathing of vapor or spray mist. Provide local exhaust ventilation in volume and pattern to keep all haz. Ingredients below acceptable limits.

Waste Disposal Method: Dispose of in accordance with local, state, and federal regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory: If TLV is exceeded, or for overexposure, wear a NIOSH-approved respirator for formaldehyde.

Eyewear: If potential for eye contact exists, wear chemical goggles.

Clothing/Gloves: Wear chemical-resistant gloves and clothing as needed to prevent skin contact.

Ventilation: Local exhaust may be necessary under some conditions. To keep vapor levels below pels.

SECTION IX - SPECIAL PRECAUTIONS

Do not store above 120°F Keep away from children, do not puncture or incinerate, do not spray near fire or open flame.